

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1	("5416409" "2002121910" "4804958" "5956663" "6176247") and sensor same interface same monitor\$4 same safe\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:13
S3	22	("5416409" "2002121910" "4804958" "5956663" "6176247") and sensor same monitor\$4 same safe\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 17:13
S4	37	"safety integrity level"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 19:51
S5	28	"safety integrity level"	US-PGPUB; USPAT	OR	ON	2005/12/23 20:01
S6	8	"safety integrity level" and respon\$5 with module	US-PGPUB; USPAT	OR	ON	2005/12/23 20:01
S7	75	"5416409" "2002121910" "4804958" "5956663" "6176247"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 05:36
S8	41	"5828567"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 21:06
S9	35	"5828567"	US-PGPUB; USPAT	OR	ON	2005/12/24 05:35
S10	0	"5828567" and SIL	US-PGPUB; USPAT	OR	ON	2005/12/24 05:35
S11	0	"5828567" and satety near integrity	US-PGPUB; USPAT	OR	ON	2005/12/24 05:38
S12	0	("5416409" "2002121910" "4804958" "5956663" "6176247") and satety near integrity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 05:37
S13	0	("5416409" "2002121910" "4804958" "5956663" "6176247") and SIL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 05:36

S14	0	safety near integrity with SIL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 05:37
S15	26	safety with integrity with SIL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 13:14
S16	26	safety near integrity with SIL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:28
S17	0	("5416409" "2002121910" "4804958" "5956663" "6176247") and safety near integrity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 05:37
S18	0	"5828567" and safety with integrity	US-PGPUB; USPAT	OR	ON	2005/12/24 05:38
S19	2	safety with integrity with SIL and watchdog and interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 05:53
S20	3	safety with integrity with SIL and watchdog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 06:09
S21	22	safety with integrity with SIL and (watchdog interface sens\$4 adapt\$4 connect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 06:10
S22	3	safety with integrity with SIL and watchdog and (interface adapt\$4 connect\$4) and sens\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 06:11
S23	1	safety with integrity with SIL and (voltage current) adj sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/24 13:14

S24	64	process with transmitter with piping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 21:00
S25	2	process with transmitter with piping and SIL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 14:48
S26	1	process with transmitter with piping and "power drawn"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 21:00
S27	4377	"power drawn"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 21:01
S28	10	"power drawn" and rosemount	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 21:14
S29	3	"6476522"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 21:15
S30	2	"6476522" and "power drawn"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 21:37
S31	0	disconnect\$4 with circuitry with safty	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 21:37
S32	82	disconnect\$4 with circuitry with safety	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 21:38
S33	0	disconnect\$4 with circuitry with safety with control\$4 with loop	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 21:38

S34	14	disconnect\$4 with circuitry with safety with control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 21:38
-----	----	-------------------------------------------------------------	---------------------------------------------------------	----	----	------------------